

Date: Thursday, 3/13/2008 10:22:02 AM
 User: Kim Johnston

Process Sheet

13

Customer	: CU-DAR001 Dart Helicopters Services	Drawing Name	: FWD X-TUBE EXT HEIGHT(-013)
Job Number	: 37944		
Estimate Number	: 10565		
P.O. Number	:	Part Number	: D205596105
This Issue	: 3/13/2008 S.O. No. :	Drawing Number	: D205596105
Prsht Rev.	: NC	Project Number	: N/A
First Issue	: 11 Type : LANDING GEAR	Drawing Revision	: B
Previous Run	: 37943	Material	:
Written By	:	Due Date	: 3/27/2008 Qty: 1 Um: Each
Checked & Approved By	: <u>080313</u>		
Comment	: Est Rev:D 05.03.21 Added bending procedure KJ/JLM Est Rev:E 08-01-10 ECN 1075 DD		

Additional Product

Job Number:



Seq. #: Machine Or Operation: Description :

1.0 DC DOCUMENT CONTROL



Comment: DOCUMENT CONTROL

Photocopy D205-594 bluefile & type labels per PPP D205-596-105 CHG002

08/03/19 JA

2.0 D2889 FWD Crosstube



Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s)

Pick:

Qty Part number Description Batch
 1 D2889 Aft Crosstube B38037

DP 8-4-7

3.0 LANDING GEAR 1 LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

Mark 23.92" for cutting from tangential line in the straight section from D2889 as per Dwg wall template.

See attachment MF

08-04-07

4.0 QC15 DIMENSIONAL CHECK OF X-TUBES



Comment: DIMENSIONAL CHECK OF X-TUBES

08/04/07 CW

5.0 LANDING GEAR 1 LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Cut as per Dwg D205-596-105

2-Deburr & Inspect for surface damage. Polish cut surface. Scribe part # and batch # on one end of tube.

S A

MF 08-04-07

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 3/13/2008 10:22:02 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: FWD X-TUBE EXT HEIGHT(-013)

Job Number: 37944

Part Number: D205596105

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC15

DIMENSIONAL CHECK OF X-TUBES



Comment: DIMENSIONAL CHECK OF X-TUBES

08/04/09 (1)

7.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

AWM
S-Y-9

Chemical Conversion Coat per QSI 005 4.1

8.0

SPRAY PAINTING

SPRAY PAINTING



Comment: SPRAY PAINTING

1-Prime inside and outside with Immron per QSI 005 4.2

ml 08 04 12 (1)

9.0

QC14

INSPECT SPRAY PAINT



Comment: Inspect Spray Paint

4T 08 - 04 - 14

10.0

D3595063450

RUBBER CUSHION



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)

RUBBER CUSHION

batch 35124

ml 08 04 15

11.0

MS2192025

Clamp(per MIL-DTL-8783C)



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)

Clamp(per MIL-DTL-8783C)

batch 107236

ml 08 04 15

12.0

D28931

Support



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Pick:

Qty Part number

2 D2893-1

Description

Support

Batch

36641

ml 08 04 15

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 3/13/2008 10:22:02 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: FWD X-TUBE EXT HEIGHT(-013)

Job Number: 37944

Part Number: D205596105

Job Number:



Seq. #:

Machine Or Operation:

Description :

13.0

LANDING GEAR 1

LANDING GEAR RESOURCE 1



mf
08-04-07

Comment: LANDING GEAR RESOURCE 1

1- Apply magnobond 6398 as per dwg D205-596-105

Magnobond 6398 Batch: _____

2- Install supports and clamps per Dwg D205-596-105. Torque clamps to 80-100 in lb. as per dwg

mf 08 04 15

14.0

QC5

INSPECT WORK TO CURRENT STEP



08-04-16

Comment: INSPECT WORK TO CURRENT STEP

15.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and pack for shipping as per PPP D205-596-105

Location: _____

PPP Rev: 0

8/4/16 Sep (1x)

16.0

QC21

FINAL INSPECTION/W/O RELEASE



08/04/16

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



mf 08-04-16

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order:	3744
Description: Crosstube High-High Fwd		Part Number:	D205-596-105
Inspection Dwg: D205-596-105	Rev: A	Page 1 of 1	

08.03.13

Required Dimension	Min	Max
Height	32.4	32.6
1/2 Span	54.6	54.8
Angle	49	52
Total Span	109.2	109.6



Comments

QC15 Inspection	
Date	08/04/07

Rev	Date	Change	Revised by	Approved
A	07.02.06	New Issue	KJ/JM	

PARTS LIST:

Qty	Part Number	Description
X	D205-596-105	CROSSTUBE ASSEMBLY, HI-HI FWD
1	D6005-180	CROSSTUBE
2	D2893-1	SUPPORT
4	D3595-063-450	RUBBER CUSHION
4	MS21920-25	CLAMP
A/R	MAGNOBOND 6398	ROCKWELL SPECIFICATION RBO-120-023 ADHESIVE (TEXTRON/BELL SPEC. 299-947-100, TYPE II, CLASS 2 ADHESIVE)

GENERAL NOTES:

- 1) MATERIAL: MANUFACTURE FROM D6005-180
FINISHED LENGTH = 134.40 ± 0.02
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2
PAINT OUTSIDE PER DART 005 4.2
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: SCRIBE DART PART NUMBER AND BATCH NUMBER IN THIS AREA WITH
VIBRATING STYLUS
- 7) WEIGHT: 40 lbs
- 8) PART IS SYMMETRIC ABOUT CENTERLINE
- 9) BEND PROGRESSIVELY WITH A MINIMUM OF 3 PASSES. MAXIMUM TUBE FLATTENING DUE TO
BENDING IS 6% BASED ON O.D.
- 10) EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. THE
OUTSIDE SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS
SCRATCHES, NICKS, OR DENTS. DEFECTS UP TO 0.005" MAY BE BLENDED OUT
LONGITUDINALLY. CIRCUMFERENTIAL GRIND MARKS ARE UNACCEPTABLE.
- 11) APPLY A 0.03" TO 0.06" THICK LAYER OF MAGNOBOND 6398 TO THE SURFACE OF D2893-1 THAT
WILL BE IN CONTACT WITH THE CROSSTUBE. LET CURE FOR 12 HOURS AFTER INSTALLATION
AND PRIOR TO PACKAGING.
- 12) INSTALL MS21920-25 CLAMPS WITH D3595-063-450 RUBBER CUSHIONS TO SECURE D2893-1
SUPPORT ON THE TOP SIDE OF THE CROSSTUBE. ENSURE CLAMPS ARE OPPOSITE
CROSSTUBE SUPPORT.
**NOTE: IT IS ACCEPTABLE TO SUBSTITUTE MS21920-25 CLAMPS WITH LONGER (MS21920-26) OR
SHORTER (MS21920-24) CLAMPS TO ACCOMODATE VARYING DIAMETERS. ENSURE THERE IS A
MINIMUM OF 1.5 THREADS IN SAFETY ON THE NUTS.**
- 13) TORQUE CLAMPS 80 TO 100 IN-LB

SHOP COPY

RETURN TO

ENGINEERING

UNCONTROLLED COPY


DIRECT TO AMENDMENT

WITHOUT NOTICE


WORK ORDER

NO. 37944

B	SUPPORT NOW MAGNOBONDED; REMOVE D2856-600-851 ABRASION STRIP; UPDATED NOTES; ADDED D3595-063-450 CUSHION; MS21920-25 WAS MS21920-24	MB	07.12.03
A	NEW ISSUE	DS	02.11.20
REV.	DESCRIPTION	BY	DATE
DESIGN.	4	DART AEROSPACE LTD	
DRAWN	J	HAWKESBURY, ONTARIO, CANADA	
CHECKED	PH	DRAWING NO.	REV. B
MFG. APPR.	BE	D205-596-105	SHEET 1 OF 2
APPROVED	TH	TITLE	SCALE
DE APPR.	TH	CROSSTUBE ASSEMBLY, HI-HI FWD	NTS
DATE	07.12.03	COPYRIGHT © 2002 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D205-596-105 CROSSTUBE ASSEMBLY, HI-HI FWD



SECTION A-A
SCALE 2:5

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
NO. 3199 844

RELEASED
07.01.16

DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN		DRAWING NO.	REV. B
CHECKED		D205-596-105	SHEET 2 OF 2
MFG. APPR.		TITLE	SCALE
APPROVED		CROSSTUBE ASSEMBLY, HI-HI FWD	1:10
DE APPR.		COPYRIGHT © 2002 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	07.12.03		

Date: Friday, 04/04/2008 12:46:54 PM
 User: Melanie Fauteux

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services	Drawing Name : FWD X-TUBE EXT HEIGHT(-013)
Job Number : 37944	
Estimate Number : 10565	
P.O. Number :	Part Number : D205596105
This Issue : 04/04/2008 S.O. No. :	Drawing Number : D205596105
Prsht Rev. : NC	Project Number : N/A
First Issue : 13/03/2008 Type : LANDING GEAR	Drawing Revision : B
Previous Run : 37943	Material :
Written By :	Due Date : 27/03/2008 Qty: 1 Um: Each
Checked & Approved By :	
Comment : Est Rev:D 05.03.21 Added bending procedure KJ/JLM	
Est Rev:E 08-01-10 ECN 1075	DD

Additional Product

REFERENCE ONLY *mf*

Job Number:



Seq. #:

Machine Or Operation:

Description :

3.0

CROSSTUBES

CROSSTUBES RESOURCE 1


D 8-4-9


Comment: LANDING GEAR RESOURCE 1

Mark 23.92" for cutting from tangential line in the straight section from D2889 as per Dwg wall template.

Job Completion



Date: Friday, 04/04/2008 12:47:26 PM
 User: Melanie Fauteux

Process Sheet

Customer	: CU-DAR001 Dart Helicopters Services	Drawing Name	: FWD X-TUBE EXT HEIGHT(-013)
Job Number	: 37944		
Estimate Number	: 10565		
P.O. Number	:	Part Number	: D205596105
This Issue	: 04/04/2008 S.O. No. :	Drawing Number	: D205596105
Prsht Rev.	: NC	Project Number	: N/A
First Issue	: 13/03/2008 Type : LANDING GEAR	Drawing Revision	: B
Previous Run	: 37943	Material	:
Written By	:	Due Date	: 27/03/2008 Qty: 1 Um: Each
Checked & Approved By	:		
Comment	: Est Rev:D 05.03.21 Added bending procedure KJ/JLM		
	: Est Rev:E 08-01-10 ECN 1075 DD		

Additional Product

REFERENCE ONLY *mf*

Job Number:



Seq. #:

Machine Or Operation:

Description :

5.0

CROSSTUBES

CROSSTUBES RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Cut as per Dwg D205-596-105

*EL 8-4-9**AWM 8-4-9*

2-Deburr & Inspect for surface damage. Polish cut surface. Scribe part # and batch # on one end of tube.

Job Completion



Date: Friday, 04/04/2008 12:47:46 PM
User: Melanie Fauteux

Process Sheet

Customer :	CU-DAR001 Dart Helicopters Services	Drawing Name :	FWD X-TUBE EXT HEIGHT(-013)
Job Number :	37944		
Estimate Number :	10565		
P.O. Number :		Part Number :	D205596105
This Issue :	04/04/2008	S.O. No. :	
Prsht Rev. :	NC	Drawing Number :	D205596105
First Issue :	13/03/2008	Project Number :	N/A
Previous Run :	37943	Drawing Revision :	B
		Material :	
Written By :		Due Date :	27/03/2008
Checked & Approved By :		Qty:	1 Um: Each
Comment :	Est Rev:D 05.03.21 Added bending procedure KJ/JLM Est Rev:E 08-01-10 ECN 1075 DD		

Additional Product

REFERENCE ONLY

Job Number:



Seq. #:

Machine Or Operation:

Description :

13.0

CROSSTUBES

CROSSTUBES RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1- Apply magnobond 6398 as per dwg D205-596-105

Magnobond 6398 Batch: 106695 Time:

exp: 04:2009

2- Install supports and clamps per Dwg D205-596-105. Torque clamps to 80-100 in lb. as per dwg

ml 08 04 160

Job Completion



